




Help for the Home Builder
Typical Wall Elevation
 CITY OF LONG BEACH PLANNING & BUILDING DEPARTMENT
 333 W. OCEAN BLVD., 4TH FLOOR, LONG BEACH, CA 90802
 INFORMATION (562) 570-6651 FAX (562) 570-6753

**INFORMATION
BULLETIN**
221
 June 2001

HEADER SIZES		NAILING SCHEDULE	
WIDTH	HEADER	CONNECTION	NAILING
0' TO 4'	*4" X 4"	JOIST TO SILL OR GIRDER, TOENAIL	3 - 8d
4' TO 6'	4" X 6"	SOLE PLATE TO JOIST OR BLOCKING	16d-16" O.C.
6' TO 8'	4" X 8"	TOP PLATE TO STUD, END NAIL	2 - 16d
8' TO 10'	4" X 10"	STUD TO SOLE PLATE, END NAIL	2 - 16d
10' TO 12'	4" X 12"	DOUBLE STUDS, FACE NAIL	16d- 24" O.C.
* All openings 4 feet wide or less in bearing walls may be provided with headers consisting of two pieces of 2-inch framing lumber placed on edge and securely fastened together.		DOUBLE TOP PLATES, FACE NAIL	16d- 16" O.C.
		DOUBLE TOP PLATE, LAP SPLICE	8 - 16d
		1" LET-IN BRACE TO EACH STUD/PLATE	2 - 8d
		CONTINUOUS HEADER TO STUD, TOENAIL	4 - 8d



TYPICAL WALL ELEVATION

This information is available in an alternative format by request to the Development Services Center
 at (562) 570-6651 or (562) 570-6793 TDD - Visit our website at www.ci.long-beach.ca.us/plan

THIS PAGE
INTENTIONALLY
LEFT BLANK